

QUICK POCKET WALLET

Easy to make, our Quick Pocket Wallet is loaded with pockets for your cards, coins and cash. It fits easily into a jacket or pants pocket or purse. It's a perfect yet personal holiday gift. Want to know more about sewing? Visit Beginning Sewing or get a gift certificate to any one of our many sewing classes. Finished size: $4 \frac{1}{4}$ x 3"

WHAT YOU WILL NEED AT HOME:

- A fat quarter (18"x20") or 1/4 yard 45"-wide cotton fabric
- Thread to match
- 1/2" piece of 1/2"-wide velcro
- Sewing machine (with straight stitch, zigzag stitch and 3-step zigzag-optional)
- Scissors (shears and thread snips)
- Iron (with steam)
- Tape measure
- Pins & pin cushion
- Seam gauge
- Seam ripper
- Chalk pencil or blue water-soluble marker
- Point turner
- Clapper


RULES: = right side of fabric = wrong side of fabric SA = seam allowance; use ½" SA when sewing. RST = right sides together. WST = wrong sides together. Topstitch = Stitch ½" from edge. Use side of presser foot as guide. Edgestitch = Stitch ½" from edge. Use mark on presser foot as guide. = Check off each step as you go.

CUTTING DIRECTIONS (for fat quarter):

20"			
5"	5″	5″	5″


- Cut 4, 5"-wide strips from side to side.
- From one strip, cut a piece 12" (this is the cover) and a second piece $5\frac{1}{2}$ ".
- From second strip, cut two 61/2" pieces and one 41/2" piece.
- You will have left overs enough to make another project.
 CUTTING DIRECTIONS (for yardage):

ITEM	AMOUNT	SIZE
COVER	CUT ONE	12"X5"
POCKET #1	CUT ONE	4½" x 5"
POCKET #2	CUT ONE	5½" x 5"
POCKET #3	CUT ONE	6½" x 5"
POCKET #4	CUT ONE	6½" x 5"




4. Assemble


- Stack pieces in this order, matching raw edges on bottom and sides:
- Pockets 3 & 4
- Pocket 2
- Pocket #1, Velcro side up
- Cover, Velcro side up.




5. Sew


- Flip all layers over so pockets #3 & #4 are on top. Keep raw edges matched on bottom and sides.
- Stitch through all pocket layers on sides and bottom beginning and ending with a backstitch.
- Finish raw edges with a zigzag or 3-step zigzag.






- •Trim corner SA.
- Reach between cover and pocket #1 to turn wallet right side out.
- Cover folds over so Velcro pieces match. Press.
- •TIP: Sew a button on top of Velcro on cover to hide stitching.







FINISHED!